



ASW

ACCURATE SOUND WAVE

GENIUS LINE

EVEREST AUDIO INC

723 CONNAUGHT STREET

REGINA, SK S4T 4S5

(306) 536-3884

www.everestaudio.com - - dave@everestaudio.com

Floorstan

GENIUS 400



Network:	18 db impedance lineartices
Woofer:	1 x 250 mm
Mid-Range:	2 x 130 mm carbonfiber-cone
Tweeter:	25 mm High quality fabric dome tweeter,
Cabinet finish:	Realwood, or eggshell painted
Size:	Struted and interlocked cabinet
Continuous power RMS:	height 1165 mm / width 170 mm / depth 430 mm
Maximum power hdg.:	250 Watts
Frequency range:	28 - 30000 Hz
Sensitivity (2,83 V/m):	93 dB
Suitable for ampl.:	4-8 Ohms
Impedance:	4 Ohms
Packing:	1 piece
Weight:	37 Kg.

ding speaker

Intelligent construction, clean lines, and simplicity. When design supports function, the result is beautiful, both audibly, and visually. This less is more. Philosophy, consistent to the ideas of the artists and designers of the "Bauhaus", godfathers of modern furniture design, was the reference standard in the development of our Genius loudspeaker line. Not only audiophile quality loudspeakers, but also an integral part of the furniture landscape.



Floorstan

GENIUS 300



- Network: 18 db impedance lineartizes
- Woofer: 2 x 130 mm carbonfiber - cone
- Tweeter: 25 mm High quality fabric dome tweeter, Realwood, or eggshell painted
- Cabinet finish: Struted and interlocked cabinet
- Size: height 1105 mm / width 145 mm / depth 350 mm
- Continuous power RMS: 140 Watts
- Maximum power hdly.: 200 Watts
- Frequency range: 35 - 30000 Hz.
- Sensitivity (2,83 V/m): 92 dB
- Suitable for ampl.: 4-8 Ohms
- Impedance: 4 Ohms
- Packing: 1 piece
- Weight: 22 Kg.
- magnetic shielded

ding speaker

The design and conception of the Genius speaker line are to meet the demands of the new multimedia world. Stereo, surround, CD, DVD, SACD, or the formats of the future, the Genius line lives for data. The more accurate the source, the more they come to life. This audiophile tuning applies to both the Hi-Fi enthusiast, and the full blown Home Cinema aficionado. Fanatical attention to spatial imaging and tonal balance make this flexibility possible. Now the listener can have the best of both worlds, not just one or the other.



Bookshelf

GENIUS 200



Network:
Woofer:
Tweeter:
Cabinet finish:
Size:
Continuous power RMS:
Maximum power hdqg.:
Frequency range:
Sensitivity (2,83 V/m):
Suitable for ampl.:
Impedance:
Packing:
Weight:
magnetic shielded

18 db impedance linearizes
2 x 130 mm Carbonfiber - cone
25 mm High quality fabric dome
Realwood, or eggshell painted
Struted and interlocked cabinet
hight 460 mm / width 145 mm / depth 350 mm
140 Watts
200 Watts
40 - 30000 Hz
92 dB
4-8 Ohms
4 Ohms
1 piece
11,5 Kg.

First class components like carbon fiber cones, aluminum baskets, silver cabling, low impedance crossover networks, and high quality connectors are only the starting point for a loudspeaker this balanced. The marriage between technical accuracy, and esthetics have yielded a speaker that is pure beauty to both the eyes and ears.

speaker / center speaker



Network: -
 Woofer: 1 X 130 mm Carbonfiber - cone
 Tweeter: 25 mm High quality fabric dome tweeter, Realwood, or eggshell painted
 Cabinet finish: Struted and interlocked cabinet
 Size: height 340 mm / width 145 mm / depth 350 mm
 Continuous power RMS: 70 Watts
 Maximum power hdg.: 120 Watts
 Frequency range: 45 - 30000 Hz
 Sensitivity (2,83 V/m): 90 dB
 Suitable for ampl.: 4-8 Ohms
 Impedance: 4 Ohms
 Packing: 1 piece
 Weight: 8,5 Kg
 magnetic shielded

GENIUS 100



Subwoofer


GENIUS AS 1



- Class D Amplifier technology
- Woofer: 325 mm
- Output RMS: 300 Watts
- Output peak: 600 Watts
- Frequency range: 25 Hz - 150 Hz
- Variable bass filter: 50 Hz - 150 Hz
- Variable phase control: 0° - 180°
- Additional switchable limiter
- High- and Low-Level inputs and outputs via high quality gold plated connectors
- Low- and High-Level outputs with treble filters
- Automatic switch on/off
- Dimensions: Height 720 mm / Wide 255 mm / Depth 450 mm
- Utility: 4 Spikes without charge
- Packing unit: 1 Piece
- Weight: 40 Kg.



Bass you can feel. With its monumental 600-watt amplifier, the Genius AS-1 subwoofer effortlessly produces even the largest bass dynamics. With a stiff, stable injection molded magnesium chassis, 60mm voice coil, and double magnet structure, the Genius subwoofer can produce the lowest frequencies at the highest volumes with little effort and even less distortion. With beautiful design, and uncommon grace the Genius AS-1 subwoofer will blend seamlessly into your HiFi- or Surround-System.





Music to be seen. Geneus loudspeakers can blend both visual and acoustic harmony into any living room. Sound quality and stout performance able to please both the discriminating audiophile and the most demanding theater enthusiast, were at the heart of the Geneus line concept. Music and technology are melting together. Eye catching but subtle, the Geneus line accommodates our heavy demands for both music and environmental peace. Much more important than visual stimulation is the capability to transform electrical vibration into clear, accurate sound. It doesn't matter if you are interested in Hi-Fi stereo or the emerging world of multi-channel; the Geneus line is always the right choice for both the music lover and design aficionado.

Loudspeaker Stands



Height: 700 mm
Weight: 8 kg

lower plane
Wide: 225 mm
Depth: 270 mm

upper plane
Wide: 140 mm
Depth: 220 mm

Height: 600 mm
Weight: 7,5 kg

lower plane
Wide: 225 mm
Depth: 270 mm

upper plane
Wide: 140 mm
Depth: 220 mm

Available colors:
Stainless Steel polish
black lacquered

G 100

G 200

Detailed perfection. To properly isolate speakers from their environment, Genius loudspeaker stands are equipped with high quality spikes and a clamping system that keeps the stand from vibrating. After all, the stand should be totally silent.

Photo: PATAKORN Holzwerk-GmbH & Co. KG, Erlenweg 106, D-48163 Coesfeld



Connecting unit

Here you can see the tremendous demands on the conception of the Genius line. Connections for a seamless transfer of energy between amplifier and loudspeaker were an absolute necessity.



Black oak

Dark oak

Rustic oak

Nature oak

Mahogany

Grey oak

White oak

Walnut tree

Cherry

Beech

Alder

Maple

Eggshell black

Eggshell blue

Eggshell white

White aluminium



EVEREST AUDIO INC

723 CONNAUGHT STREET
REGINA, SK S4T 4S5

www.everestaudio.com (306) 536-3884

dave@everestaudio.com - neil@everestaudio.com

ASW

ASW Lautsprecher GmbH

D 48691 Vreden · Rentmeisterskamp 26 · Phon + 49 (0) 2567 3434 · Fax + 49 (0) 2567 633

Internet: <http://www.asw-loudspeaker.com> · e-mail: info@asw-loudspeaker.com