

Advent Loudspeakers

The New Generation in Sound



///ADVENT®

Advent Loudspeakers

All advent loudspeakers are engineered to reproduce the entire range of digitally recorded sound with a heightened sense of realism and presence.

From the impressive big sound of the Baby Advent speakers to the truly astonishing performance of the 750 watt peak power Maestro, each model is designed to fully exploit the incredibly pure sound from compact discs and other high dynamic range sources. All models have real pecan tops and accents for that added quality look.

The Baby Advent™

An abundance of clean, full-bodied sound is produced by this highly acclaimed bookshelf-sized cabinet. The Baby Advent can be placed vertically or horizontally without loss of fidelity or stereo imaging.

Specifically designed to provide exceptional performance in a compact cabinet design that is suitable for apartments or small rooms, the Baby Advent features a 6½" woofer, 1¾" tweeter, precision crossover and 150 watts peak power.



The Prodigy™

The same advanced engineering concepts that make the Baby Advent an outstanding performer have been applied to the Prodigy with its larger enclosure. The result: authoritative bass, precise midrange and crystalline highs.

As with every Advent loudspeaker, the primary concern is accurate reproduction of sound. Low and high frequencies are not artificially enhanced to overcompensate each other.

Instead, the Prodigy maintains its accurate, low distortion performance at any listening level, even with peak power handling of over 300 watts.

This unusually high level of acoustic performance is made possible by an 8 in. long excursion woofer, ¾ in. wide dispersion ferrofluid filled tweeter and a precisely tuned two-way crossover network.





The Legacy™

The Legacy™ is the recultivation of the best selling Advent® speaker of all time. The Large Advent. Its phenomenal success was due to the fulfillment of an ambitious goal "... to offer a loudspeaker that would compete in all respects with the most elaborate and expensive speaker systems at a fraction of their price."

The Legacy can accurately reproduce the incredible dynamic range, stereo separation and frequency response from today's vastly improved signal sources ... especially compact discs and other high dynamic range recordings. Plus, it will handle the power, 100 watts continuous and an awesome 500 watt peak power capacity, the highest peak power ever in a two-way Advent speaker.

A new 10 in. woofer has been specifically designed to withstand the high power peaks of these signals. The 1 in. ferrofluid-filled polyamide soft dome tweeter and a third-order, steep-sloped crossover network complete a totally matched system with singular clarity, smooth frequency response and low distortion. This performance and its pecan top and base have attributed to the Legacy's top rating by leading audio authorities.

The Maestro

The Maestro's outstanding sound is a result of innovation and refinement of three-way speaker design that provides massive power handling, increased efficiency and a reduction of sound diffraction. This optimizes both the imaging and "soundstage" stereo effect of spatial separation and depth inherent in the original performance.

Two significant design features enable the Maestro to reproduce any stereo recording with a heightened sense of realism and presence. First, the wide dispersion vertically aligned tweeter and midrange provide a well balanced sound with more even dispersion of all frequencies, not just those from the woofer.

Second, the exclusive Advent minimum diffraction foam baffle effectively controls cabinet edge diffraction that is associated with wide dispersion speakers. The combined result is a much greater "soundstage" listening area in which exceptional stereo performance can be enjoyed.

With an incredible 750 watts peak power, three drivers and a precision cross-over, the Maestro is fully capable of accurately reproducing the entire range of digitally recorded music.

This magnificent three-way speaker is the ultimate expression of the Advent dedication to excellence in sound reproduction.



Audio and Video Cabinets

Thoughtfully designed cabinetry, specifically created using real pecan to complement Advent Loudspeakers, permits an integrated entertainment system using any mix of electronics.

Features include precision construction and handsome finishes of fine quality veneer and oiled solid pecan wood trim.



AR-1 Audio Cabinet

- Accommodates up to four components.
- Includes 6" stationary phono shelf and two adjustable shelves; additional shelves available. **
- Hinged top for convenient access to turntable.
- Use with matching video cabinet and Advent loudspeakers or as an independent unit.
- Exterior Dimensions: 43" H x 21" W x 19" D
- Interior Dimensions: 37" H x 19½" W x 17½" D
- Weight: 90 lbs.
- **Additional shelves may be purchased from Advent. Call toll-free 1-800-323-0221.

AV-1 Video Cabinet

- Accommodates 27" Television/Monitor.
- Adjustable shelf for video components and accessories.
- Use with matching audio cabinet and Advent loudspeakers or as an independent unit.
- Exterior Dimensions: 19½" H x 30" W x 19" D
- Interior Dimensions: 13½" H x 28½" W x 18" D
- Weight: 60 lbs.

Loudspeaker Specifications

	<i>Baby Advent</i>	<i>Prodigy</i>	<i>Legacy</i>	<i>Maestro</i>
Frequency Response (± 3dB)	60 Hz to 25 kHz	48 Hz to 22 kHz	42 Hz to 23 kHz	42 Hz to 23 kHz
Impedance (nominal) (minimum)	8 ohms 5.5 ohms	8 ohms 6 ohms	8 ohms 6 ohms	6 ohms 4 ohms
Power Handling (peak) (RMS)	150 watts 50 watts	300 watts 75 watts	500 watts 100 watts	750 watts 150 watts
Sensitivity (2.8V @ 1 meter)	87 dB	87 dB	88 dB	90 dB
Crossover Frequency	2500 Hz	3000 Hz	2000 Hz	900 Hz, 4.5 kHz
Resonance	74 Hz ± 4 Hz	60 Hz ± 4 Hz	50 Hz ± 3 Hz	50 Hz ± 3 Hz
Harmonic Distortion	less than 1.5% above 100 Hz at 1 watt	less than 1% above 80 Hz at 1 watt	less than 1% above 50 Hz at 1 watt; 3% at 100 Hz and less than 1% above 100 Hz at 10 watts	less than 1% above 50 Hz at 1 watt; 3% at 100 Hz and less than 1% above 100 Hz at 10 watts
Frequency Range (low) (high)	47 Hz-8dB 25 kHz-3dB	40 Hz-8dB 22 Hz-3dB	34 Hz-8dB 23 kHz-3dB	34 Hz-8dB 23 kHz-3dB
Tweeter (in.)	1¼ ferrofluid-filled dome	¼ ferrofluid-filled dome	1 ferrofluid-filled dome	1 ferrofluid-filled dome
Midrange (in.)				2 mica-filled polypropylene, ferrofluid dome
Woofers (in.)	6½ long excursion	8 long excursion	10 long excursion	10 long excursion
Cabinet Size (H x W x D)	16½" x 11" x 6½"	22" x 13" x 8½"	28¼" x 16" x 9¾"	33¼" x 16" x 9¾"
Weight (lbs.)	13	22	46.5	50
Finish	Oiled solid pecan wood top and base, black texture vinyl over dense fiberboard			

Experience the thrilling Advent sound at your authorized Advent loudspeaker dealer.



ADVENT®

A division of International Jensen Inc.
4138 North United Parkway
Schiller Park, Illinois 60176
800-323-1566 (in Illinois 800-942-0502)

ADVENT® is the registered trademark of International Jensen Inc.